



# Micro seam welder

Version: 01-2011



## MEMDR

### water cooled\* micro seam welding machine

\*This kit does not include a water chiller!



- controllable rotating speed
- Electrode force adjustable via proportional valve.
- Upper roller height adjustable
- Foot switch.




#### Technical data for micro seam welding machine


Stroke	22 mm
max. stroke	150 mm
Force	80 daN
Height	790 mm
Width	300 mm
Depth	530 mm
Weight	30 kg

**WMA is SOUDAX general distributor for Germany and Austria!**

## Seam welding heads



Order-number:  
KW640550B001



Seam welding head without mercury!  
Order-Number: XQ/.400.227.B040

We reserve the right to make changes which are in the interest of technical progress.

© by WMA Schmidt & Bittner GmbH, Baumwaide 23, D-74360 Illfeld-Auenstein, Tel. +49 7062 9066-0, Fax +49 7062 9066-20  
info@wma-sb.de or wma-sb@t-online.de, <http://www.wma-sb.de>

**Micro seam welder-1**




# Micro seam welder

Version: 01-2011



## Water cooled\* micro push welder

- Connection cable and electrode holder are water cooled
- good follow-up performance
- high availability and reliability
- high economy
- very easy to maintain



## Designs:

- as seam welding gun
- as micro push welder

XR1.401.029B000  
XR1.401.029B000



*The micro welders can be connected to all suitable controls and current sources.*

We reserve the right to make changes which are in the interest of technical progress.

© by WMA Schmidt & Bittner GmbH, Baumwaide 23, D-74360 Illfeld-Auenstein, Tel. +49 7062 9066-0, Fax +49 7062 9066-20  
info@wma-sb.de or wma-sb@t-online.de, <http://www.wma-sb.de>

**Micro seam welder-2**



# Micro seam welder

Version: 01-2011

possible cable connections for the micro push welder:



Connection piece: Form E



Connection piece: Form G

possible cable connections for ground clamp:



Connection piece: Form E



Connection piece: Form G

***Other connection designs on demand!***